



NTN BEARING MANUFACTURING DE MEXICO,S...

3.438 Inch | 87.325 Millimeter x 4.095 Inch |
104.013 Millimeter x 4 Inch | 101.6 Millimeter
NTN UCPX-3.7/16 Pillow Block Bearings



Bearing No. UCPX-3.7/16

UCPX-3.7/16 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	1.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	29.51
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	A-UCX18-307D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Medium Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 3-7/16" Bore; 4" Base to Center Height; Set Screw Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion



NTN BEARING MANUFACTURING DE MEXICO,S...

Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCPX-3.7/16
Weight / LBS	65
Actual Bolt Center to Center	11 Inch 280Millimeter
Nominal Bolt Center to Center	11.1 Inch 283 Millimeter
d	3.438 Inch 87.325 Millimeter
B	4 Inch 101.6 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
D	4.095 Inch 104.013 Millimeter
mounting:	Two-Bolt Base
expansion type:	Non-Expansion Bearing (Fixed)
bore diameter:	3.4375 in
overall length:	3.7031 in
bore type:	Round
overall height:	3.3125 in
base to bore centerline:	4.0000 in
finish/coating:	Oxide
duty type:	Medium Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
end type:	Open
locking device:	Set Screw



NTN BEARING MANUFACTURING DE MEXICO,S...

series:	UCPX
seal type:	Contact with Flinger