



NTN BEARING MANUFACTURING DE MEXICO,S...

2.438 Inch | 61.925 Millimeter x 3.063 Inch | 77.8
Millimeter x 2.75 Inch | 69.85 Millimeter NTN
UELP-2.7/16 Pillow Block Bearings



Bearing No. UELP-2.7/16

UELP-2.7/16 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	4.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0
EAN	4547359235371
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	A-UEL212-207D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Wide Inner Race Has Flinger With Set Screw
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 2-3/4" Base to Center Height; Eccentric Collar Mount; Ball Bearing;



NTN BEARING MANUFACTURING DE MEXICO,S...

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UELP-2.7/16
D	3.063 Inch 77.8 Millimeter
B	2.75 Inch 69.85 Millimeter
d	2.438 Inch 61.925 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Actual Bolt Center to Center	7.4 Inch 187Millimeter
Nominal Bolt Center to Center	7.3 Inch 184 Millimeter
Bolt Spacing Maximum	0 Inch 0Millimeter
mounting:	Two-Bolt Base
overall length:	241.3 mm
bore diameter:	2.4375 in
overall height:	138.113 mm
bore type:	Round
finish/coating:	Uncoated
base to bore centerline:	2.7500 in
overall width:	3-1/16 in
duty type:	Normal Duty
base width:	69.85 mm
housing material:	Cast Iron
bolt center-to-center length:	188.119 mm
locking device:	Eccentric Collar



NTN BEARING MANUFACTURING DE MEXICO,S...

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UELP
expansion type:	Non-Expansion Bearing (Fixed)