



NTN BEARING MANUFACTURING DE MEXICO,S...

1.938 Inch | 49.225 Millimeter x 2.469 Inch | 62.7
Millimeter x 2.188 Inch | 55.575 Millimeter NTN
UELPL-1.15/16 Pillow Block Bearings



Bearing No. UELPL-1.15/16

UELPL-1.15/16 Bearing 2D drawings and 3D CAD
models

Category	Pillow Block Bearings
Inventory	6.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.866
EAN	4547359235470
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	A-UEL210-115D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Wide Inner Race Low Base Has Flinger With Set Screw
Long Description	2 Bolt Pillow Block; 1-15/16" Bore; 2-3/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing;



NTN BEARING MANUFACTURING DE MEXICO,S...

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UELPL-1.15/16
Weight / LBS	1.91
D	2.469 Inch 62.7 Millimeter
Actual Bolt Center to Center	6.2 Inch 157 Millimeter
d	1.938 Inch 49.225 Millimeter
B	2.188 Inch 55.575 Millimeter
Nominal Bolt Center to Center	6.3 Inch 160 Millimeter
Bolt Spacing Minimum	0 Inch 0 Millimeter
Bolt Spacing Maximum	0 Inch 0 Millimeter
mounting:	Two-Bolt Base
overall length:	206.375 mm
bore diameter:	1.9375 in
overall height:	111.919 mm
bore type:	Round
finish/coating:	Oxide
base to bore centerline:	2.1875 in
overall width:	2-15/32 in
duty type:	Normal Duty
base width:	60.325 mm
housing material:	Cast Iron



NTN BEARING MANUFACTURING DE MEXICO,S...

bolt center-to-center length:	157.956 mm
locking device:	Eccentric Collar
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
end type:	Open
expansion type:	Non-Expansion Bearing (Fixed)
series:	UELPL