



1 Inch | 25.4 Millimeter x 1.748 Inch | 44.4 Millimeter x 1.438 Inch | 36.525 Millimeter NTN UELP-1 Pillow Block Bearings



Bearing No. UELP-1

UEL-1 Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	2.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.342
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	A-UEL205-100D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row   Wide Inner Race   Has Flinger   With Set Screw
Long Description	2 Bolt Pillow Block; 1" Bore; 1-7/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Single Lip Land Riding;



## NTN BEARING MANUFACTURING DE MEXICO,S...

	Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UELP-1
Weight / LBS	2.959
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	4.1 Inch   105Millimeter
Nominal Bolt Center to Center	4.1 Inch   105 Millimeter
B	1.438 Inch   36.525 Millimeter
d	1 Inch   25.4 Millimeter
D	1.748 Inch   44.4 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
mounting:	Two-Bolt Base
overall length:	139.7 mm
bore diameter:	1.0000 in
overall height:	70.644 mm
bore type:	Round
finish/coating:	Uncoated
base to bore centerline:	1.4375 in
overall width:	1-3/4 in
duty type:	Normal Duty
base width:	38.1 mm
housing material:	Cast Iron
bolt center-to-center length:	104.775 mm
locking device:	Eccentric Collar



## NTN BEARING MANUFACTURING DE MEXICO,S...

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UELP
expansion type:	Non-Expansion Bearing (Fixed)